

chain nodes :

26 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 51

ring nodes :

1 2 3

chain bonds : 20-31, 32-33, 33-34, 33-35, 36-37, 37-38, 38-49, 49-51, 52-53

30-31 30-32 33-34 33-35 36-37 37-38 39-40 40-41 42-43

ring bonds :
1 2 1 5

1-2 1-5 2-3 3-4 4-5 4-6 5-9 6-7 7-8 8-9 10-11 10-15 11-12 12-13 13-14

14-15 19-20 19-24 20-21 21-22 22-23 23-24
exact/norm bonds :

exact/norm bonds :

normalized bonds : 1-2 1-5 2-3 3-4 30-31 30-32 33-34 33-35 36-37 37-38 39-40 40-41 42-43

normalized bonds : 4-5 4-6 5-9 6-7 7-8 8-9 10-11 10-15 11-12 12-13 13-14 14-15 19-20 19-24

20-21 21-22 22-23 23-24

isolated ring systems :

containing 1 : 19 :

REFERENCES — [\[link\]](#)

G1:c,s

G2:0,S

G3:[*1],[*2],[*3],[*4],[*5],[*6]

Match level :




1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom

12:Atom 13:Atom 14:Atom 15:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom

26:CLASS 27:CLASS 28:CLASS 29:CLASS 30:CLASS 31:CLASS 32:CLASS 33:CLASS 34:CLASS
25:CLASS 26:CLASS 27:CLASS 28:CLASS 29:CLASS 30:CLASS 31:CLASS 32:CLASS 33:CLASS

35:CLASS 36:CLASS 37:CLASS 38:CLASS 39:CLASS 40:CLASS 41:CLASS 42:CLASS 43:CLASS

51:CLASS 52:CLASS



ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 19 20 21 22 23 24

ring bonds :

1-2 1-5 2-3 3-4 4-5 4-6 5-9 6-7 7-8 8-9 10-11 10-15 11-12 12-13 13-14
14-15 19-20 19-24 20-21 21-22 22-23 23-24

exact/norm bonds :

1-2 1-5 2-3 3-4

normalized bonds :

4-5 4-6 5-9 6-7 7-8 8-9 10-11 10-15 11-12 12-13 13-14 14-15 19-20 19-24
20-21 21-22 22-23 23-24

isolated ring systems :

containing 1 : 19 :

G1:C,S

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
12:Atom 13:Atom 14:Atom 15:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom
25:CLASS

<u>NEWS</u>	<u>1</u>	Web Page URLs for STN Seminar Schedule - N. America
<u>NEWS</u>	<u>2</u>	"Ask CAS" for self-help around the clock
<u>NEWS</u>	<u>3</u>	PROUSDDR now available on STN
<u>NEWS</u>	<u>4</u>	PROUSDDR: One FREE connect hour, per account, in both May and June 2004
<u>NEWS</u>	<u>5</u>	EXTEND option available in structure searching
<u>NEWS</u>	<u>6</u>	Polymer links for the POLYLINK command completed in REGISTRY
<u>NEWS</u>	<u>7</u>	FRFULL now available on STN.
<u>NEWS</u>	<u>8</u>	New UPM (Update Code Maximum) field for more efficient patent SDIs in CAplus
<u>NEWS</u>	<u>9</u>	CAplus super roles and document types searchable in REGISTRY
<u>NEWS</u>	<u>10</u>	Explore APOLLIT with free connect time in June 2004
<u>NEWS</u>	<u>11</u>	STN Patent Forums to be held July 19-22, 2004
<u>NEWS</u>	<u>12</u>	Additional enzyme-catalyzed reactions added to CASREACT
<u>NEWS</u>	<u>13</u>	ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG, and WATER from CSA now available on STN(R)
<u>NEWS EXPRESS</u>		MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
<u>NEWS HOURS</u>		STN Operating Hours Plus Help Desk Availability
<u>NEWS INTER</u>		General Internet Information
<u>NEWS LOGIN</u>		Welcome Banner and News Items
<u>NEWS PHONE</u>		Direct Dial and Telecommunication Network Access to STN
<u>NEWS WWW</u>		CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 15:32:08 ON 02 JUL 2004

FILE 'REGISTRY' ENTERED AT 15:32:26 ON 02 JUL 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "[HELP USAGETERMS](#)" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 1 JUL 2004 HIGHEST RN 702626-49-1
DICTIONARY FILE UPDATES: 1 JUL 2004 HIGHEST RN 702626-49-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when

conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

```
=>
L1      STRUCTURE UPLOADED

=> d 11
L1 HAS NO ANSWERS
L1      STR

=> s 11
SAMPLE SEARCH INITIATED 15:39:13 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 6876 TO ITERATE

14.5% PROCESSED    1000 ITERATIONS          0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
                      BATCH **COMPLETE**
PROJECTED ITERATIONS:   132550 TO   142490
PROJECTED ANSWERS:      0 TO      0

L2      0 SEA SSS SAM L1

=> s 11 full
THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
FULL SEARCH INITIATED 15:39:17 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 136045 TO ITERATE

100.0% PROCESSED 136045 ITERATIONS          0 ANSWERS
SEARCH TIME: 00.00.01

L3      0 SEA SSS FUL L1

=>
L4      STRUCTURE UPLOADED

=> d 14
L4 HAS NO ANSWERS
L4      STR

=> s 14
SAMPLE SEARCH INITIATED 15:40:39 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 8502 TO ITERATE

11.8% PROCESSED    1000 ITERATIONS          0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
                      BATCH **COMPLETE**
PROJECTED ITERATIONS:   164515 TO   175565
```

PROJECTED ANSWERS: 0 TO 0

L5 0 SEA SSS SAM L4

=> s 14 full
 THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS
 DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
 FULL SEARCH INITIATED 15:40:43 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 168583 TO ITERATE

100.0% PROCESSED 168583 ITERATIONS 14 ANSWERS
 SEARCH TIME: 00.00.02

L6 14 SEA SSS FUL L4

=> file hcaplus	SINCE FILE	TOTAL
COST IN U.S. DOLLARS	ENTRY	SESSION
FULL ESTIMATED COST	315.88	316.09

FILE 'HCAPLUS' ENTERED AT 15:40:47 ON 02 JUL 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Jul 2004 VOL 141 ISS 2
 FILE LAST UPDATED: 1 Jul 2004 (20040701/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 16
 L7 6 L6

=> s 17 and cai, g?/au
 746 CAI, G?/AU
 L8 0 L7 AND CAI, G?/AU

=> s 17 and albaugh, p?/au
 43 ALBAUGH, P?/AU
 L9 0 L7 AND ALBAUGH, P?/AU

=> s 17 and yuan, j?/au
 2727 YUAN, J?/AU
 L10 0 L7 AND YUAN, J?/AU

=> d 17, ibib abs fhitstr, 1-6

L7 ANSWER 1 OF 6 HCAPLUS COPYRIGHT 2004 ACS on STN

 Full Text Citing References


ACCESSION NUMBER: 2003:693167 HCAPLUS
 DOCUMENT NUMBER: 139:230783
 TITLE: Preparation of heteroaryl substituted 2-pyridinyl-6,7,8,9-tetrahydropyrimido[1,2-a]pyrimidin-4-ones and 7-pyridinyl-2,3-dihydroimidazo[1,2-a]pyrimidin-5(1H)ones for treating neurodegenerative disease
 INVENTOR(S): Lochhead, Alistair W.; Nedelec, Alain; Saady, Mourad; Yaiche, Philippe
 PATENT ASSIGNEE(S): Sanofi-Synthelabo, Fr.; Mitsubishi Pharma Corporation
 SOURCE: Eur. Pat. Appl., 25 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1340758	A1	20030903	EP 2002-290485	20020228
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
WO 2003072579	A1	20030904	WO 2003-EP2651	20030226
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRIORITY APPLN. INFO.:			EP 2002-290485	A 20020228
			EP 2002-290486	A 20020228

OTHER SOURCE(S): MARPAT 139:230783

GI



AB The title compds. [I; X = H₂, S, O, or alkyl and H; Y = a bond, ethenylene, ethynylene or (un)substituted methylene; R₁ = (un)substituted 2-, 3- or 4-pyridinyl; R₂ = heterocyclic bicyclic ring having 1-4 heteroatoms selected from O, S and N; R₃ = H, alkyl, OH, alkoxy, halo; R₄ = H, alkyl, alkoxy, halo; R₅ = H, alkyl, perhaloalkyl, haloalkyl, halo] which are used for preventive and/or therapeutic treatment of a neurodegenerative disease caused by abnormal activity of GSK3 β or

GSK3 β and cdk5/p25, such as Alzheimer disease, were prep'd. and formulated. E.g., a multi-step synthesis of (+)-(6R)-9-(6,7-dihydro-5H-[1]pyrindin-6-ylmethyl)-7,7-dimethyl-2-(pyridin-4-yl)-6,7,8,9-tetrahydro-pyrimido[1,2-a]pyrimidin-4-one, starting from Et 3-(4-pyridyl)-3-oxopropionate and 5,5-dimethyl-1,4,5,6-tetrahydro-2-pyrimidinamine.HCl, was given. Compds. I inhibited GSK3 β with IC50 of 5 nM - 2 μ M.


IT 591768-69-3P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of heteroaryl substituted pyridinylpyrimidopyrimidinones and pyridinylimidazopyrimidinones for treatment of neurodegenerative disease)

RN 591768-69-3 HCPLUS

CN 4H-Pyrimido[1,2-a]pyrimidin-4-one, 9-[(6,7-dihydro-2-phenyl-5H-cyclopenta[b]pyridin-6-yl)methyl]-6,7,8,9-tetrahydro-7,7-dimethyl-2-(4-pyridinyl)- (9CI) (CA INDEX NAME)



REFERENCE COUNT:

1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 2 OF 6 HCPLUS COPYRIGHT 2004 ACS on STN

Full Text	<input checked="" type="checkbox"/> Citing References
-----------	---

ACCESSION NUMBER: 1999:547305 HCPLUS
 DOCUMENT NUMBER: 131:295109
 TITLE: Derivatives of 3-cyano-6-phenyl-4-(3'-pyridyl)-pyridine-2(1H)-thione and their neurotropic activity
 Krauze, Aivars; Germane, Skaidrite; Eberlins, Ojars; Sturms, Igors; Klusa, Vija; Duburs, Gunars
 AUTHOR(S): Latvian Institute of Organic Synthesis, Riga, LV-1006, Latvia
 CORPORATE SOURCE: European Journal of Medicinal Chemistry (1999), 34(4), 301-310
 SOURCE: CODEN: EJMCA5; ISSN: 0223-5234
 PUBLISHER: Editions Scientifiques et Medicales Elsevier
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB 3-Cyano-6-phenyl-4-(3'-pyridyl)pyridine-2(1H)-thione, the related 2,2'-bis-pyridyldisulfide, 2-alkylthiopyridines and 2-amino-thieno[2,3-b]pyridines were synthesized and their neurotropic activities were examd. Bispyridyldisulfide exhibited low toxicity (LD50 > 5000 mg/kg, ICR mice, i.p.) and selective antiamnesic activity at the doses of 0.05-0.5 mg/kg p.o. This effect was significantly higher than that induced by Piracetam at 50 mg/kg.

IT 151058-46-7P


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PRP (Properties); SPN (Synthetic preparation); THU

(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. and neurotropic activity of 3-cyano-6-phenyl-4-(3'-pyridyl)-pyridine-2(1H)-thione derivs.)

RN 151058-46-7 HCAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3-amino-6-phenyl-4-(3-pyridinyl)-(9CI) (CA INDEX NAME)



REFERENCE COUNT:

48

THERE ARE 48 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 3 OF 6 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Citing
 Text References


ACCESSION NUMBER: 1995:873707 HCAPLUS
 DOCUMENT NUMBER: 123:289564
 TITLE: Heterocyclic monoazo dyes derived from 3-cyano-2(1H)-pyridinethiones. Part 1. 3-(Aryl or hetaryl)azo-thieno[2,3-b]pyridine derivatives
 AUTHOR(S): Ho, Yuh Wen; Wang, Ing Jing
 CORPORATE SOURCE: Dep. Textile Polymer Eng., National Taiwan Inst. Technology, Taipei, Taiwan
 SOURCE: Dyes and Pigments (1995), 29(2), 117-29
 CODEN: DYPIDX; ISSN: 0143-7208
 PUBLISHER: Elsevier
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB The reaction of cyanothioacetamide with appropriate ketones afforded 2-cyano-4,6-disubstituted-2(1H)-pyridinethiones. 3-Amino-2-cyano-4,6-disubstituted-thieno[2,3-b]pyridines were synthesized by cyclization of 3-cyano-4,6-disubstituted-2(1H)-pyridinethiones with chloroacetonitrile. The 3-amino-thieno[2,3-b]pyridine derivs. were diazotized and coupled with a variety of coupling components to give new azo dyes. The dyes were applied to polyester; their spectral and dyeing properties are reported.

IT 169786-02-1P

RL: PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (dye; prepn. and fastness of monoazo dyes based on 3-(aryl or hetaryl)azo-thieno[2,3-b]pyridine derivs. for polyester fibers)

RN 169786-02-1 HCAPLUS


CN Thieno[2,3-b]pyridine-2-carbonitrile, 3-[(5-cyano-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-3-pyridinyl)azo]-4,6-diphenyl- (9CI) (CA INDEX NAME)



L7 ANSWER 4 OF 6 HCPLUS COPYRIGHT 2004 ACS on STN

[Full Text](#) | [Citing References](#)

ACCESSION NUMBER: 1993:671114 HCAPLUS
DOCUMENT NUMBER: 119:271114
TITLE: Synthesis of some new pyrido[3',2':4,5]thieno[3,2-d]1,2,3-triazines with antianaphylactic activity
AUTHOR(S): Wagner, G.; Leistner, S.; Vieweg, H.; Krasselt, U.; Prantz, J.
CORPORATE SOURCE: Fachbereich Biowiss., Univ. Leipzig, Germany
SOURCE: Pharmazie (1993), 48(7), 514-18
CODEN: PHARAT; ISSN: 0031-7144
DOCUMENT TYPE: Journal
LANGUAGE: German
GI




AB Some new pyridothienotriazinones I ($R = Me, Ph, 4-ClC_6H_4, 4-BrC_6H_4$, 2-furyl, 2-naphthyl; $R_1 = H, Me, CH_2Ph, CH_2C_6H_4CN-4$; $R_2 = Ph, Me, 4-ClC_6H_4$, pyridyl, CONH₂, CONHBu, CONHCH₂CH₂OH, piperidinocarbonyl, CO₂Et, CO₂H, 4-BrC₆H₄) were synthesized from 2-thioxo-1,2-dihydropyridine-3-carbonitriles (II) via 3-amino-thieno[3,2-b]pyridine-2-carboxamides. II were converted to 3-amino-thieno[2,3-b]pyridine-2-carbonitriles which yielded the pyridothienotriazines III ($R = Ph, Me; R_1 = H, Me, CH_2Ph, CH_2C_6H_4CN-4$; $R_2 = pyridyl, 4-ClC_6H_4, CONHBu; R_3 = piperidino, NHNH_2, NHCH_2CH_2NMe_2, NHCH_2CH_2OH, NHBu, NHCH_2CH_2NET_2, NHCH_2C_6H_4Cl-2$) via III ($R_3 = Cl$). I ($R-R_2 = Me; R = Me, R_1 = H, R_2 = 3-, 4-pyridyl$) and III ($R = Me, R_1 = H, R_2 = CONHBu, R_3 = NHBu$) showed respectable antianaphylactic activity.

IT 151058-46-7P

RL: SPN (Synthetic preparation); PREP (Preparation)
(intermediate in prepn. of antianaphylactic pyridothienotriazines)

RN 151058-46-7 HCAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide, 3-amino-6-phenyl-4-(3-pyridinyl)-
(9CI) (CA INDEX NAME)



L7 ANSWER 5 OF 6 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1993:38791 HCPLUS
 DOCUMENT NUMBER: 118:38791
 TITLE: Synthesis, properties, and cardiotonic activity of 2-carbamoylmethylthio-6-phenyl-5-ethoxycarbonyl-3-cyclo-4-(pyrido-3'yl)pyridine derivatives and their hydrogenated analogs
 AUTHOR(S): Krauze, A.; Garalene, V.; Duburs, G.
 CORPORATE SOURCE: Inst. Org. Synth., Riga, Latvia
 SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1992), 26(5), 40-3
 CODEN: KHFZAN; ISSN: 0023-1134
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 GI




AB Cyclocondensation of PhCOCH₂CO₂Et with 2-cyano-3-pyridinethioacrylamide in the presence of bases gave pyridinecarboxylates I (X^+ = piperidino, Na) which when treated with ICH₂CONH₂ gave 82% amide II; betaine III ($R = H$) similarly treated gave amide III ($R = CH_2CONH_2$) which underwent base-catalyzed cyclization to give thienopyridine IV ($R_1 = 3$ -pyridyl). Addnl. obtained was IV ($R_1 = Ph$). The 4,3'-bipyridines show dual activity-neg. inotropic action at low concns. and pos. inotropic activity at concns. >10-5M.

IT 144969-94-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (prep. of)


RN 144969-94-8 HCPLUS

CN Thieno[2,3-b]pyridine-5-carboxylic acid, 3-amino-2-(aminocarbonyl)-6-phenyl-4-(3-pyridinyl)-, ethyl ester (9CI) (CA INDEX NAME)



Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER: 1990:515227 HCPLUS
 DOCUMENT NUMBER: 113:115227
 TITLE: Polycyclic pyridines. Part 8. Synthesis of new primary, secondary and tertiary 3-aminothieno[2,3-b]pyridine-2-carboxamides by different pathways
 AUTHOR(S): Wagner, G.; Vieweg, H.; Leistner, S.; Boehm, N.; Krasselt, U.; Hanfeld, Vera; Prantz, J.; Grupe, Renate
 CORPORATE SOURCE: Sekt. Biowiss., Karl-Marx-Univ., Leipzig, DDR-7010, Ger. Dem. Rep.
 SOURCE: Pharmazie (1990), 45(2), 102-9
 DOCUMENT TYPE: Journal
 LANGUAGE: German
 OTHER SOURCE(S): CASREACT 113:115227
 GI




AB The treatment of 2-thioxo-1,2-dihydropyridine-3-carbonitriles with $\text{ClCH}_2\text{CO}_2\text{NR}_1\text{R}_3$ ($\text{R}_1, \text{R}_2 = \text{H, Me, Et}$) gave 3-aminothieno[2,3-b]pyridinecarboxylic acid amides I [$\text{R}_1 = \text{H, Et, Me}; \text{R}_2 = \text{H, Et, Bu, cyclohexyl, CH}_2\text{CH}_2\text{OH, CH}_2\text{CO}_2\text{H}; \text{R}_1\text{R}_2 = (\text{CH}_2)_5$; $\text{R}_3 = \text{Me, Ph, 4-BrC}_6\text{H}_4$, 3-pyridyl, CONH₂, etc; $\text{R}_4 = \text{H, Me, CH}_2\text{C}_6\text{H}_4(\text{CN})_2$; $\text{R}_5 = \text{Me, C}_6\text{H}_4\text{Cl-4, Ph, C}_6\text{H}_4\text{Br-4, furyl, naphthyl, OH}$. Some of the compds. thus prep'd., e.g. I ($\text{R}_1 = \text{R}_2 = \text{R}_4 = \text{H, R}_3 = \text{Me, R}_5 = \text{Ph}$) and I ($\text{R}_1 = \text{R}_4 = \text{H, R}_2 = \text{CH}_2\text{CH}_2\text{OH, R}_3 = \text{R}_5 = \text{Me}$) showed activity as antiallergics in the passive cutaneous anaphylaxis test in rats.

IT 128918-03-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (prep'n. of)

RN 128918-03-6 HCPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3-amino-6-(2-naphthalenyl)-4-(3-pyridinyl)- (9CI) (CA INDEX NAME)



=> file caold

COST IN U.S. DOLLARS

SINCE FILE ENTRY	TOTAL SESSION
------------------	---------------

FULL ESTIMATED COST

37.41 353.50

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE ENTRY	TOTAL SESSION
------------------	---------------

CA SUBSCRIBER PRICE

-4.41

-4.41

FILE 'CAOLD' ENTERED AT 15:42:18 ON 02 JUL 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966
 FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> d his

(FILE 'HOME' ENTERED AT 15:32:08 ON 02 JUL 2004)

FILE 'REGISTRY' ENTERED AT 15:32:26 ON 02 JUL 2004

L1	STRUCTURE UPLOADED
L2	0 S L1
L3	0 S L1 FULL
L4	STRUCTURE UPLOADED
L5	0 S L4
L6	14 S L4 FULL

FILE 'HCAPLUS' ENTERED AT 15:40:47 ON 02 JUL 2004

L7	6 S L6
L8	0 S L7 AND CAI, G?/AU
L9	0 S L7 AND ALBAUGH, P?/AU
L10	0 S L7 AND YUAN, J?/AU

FILE 'CAOLD' ENTERED AT 15:42:18 ON 02 JUL 2004

=> s 16
 L11 0 L6

=>